

BALLISTIC SPECTACLES

bolle
TACTICAL

www.bolle-tactical.com

ROGUE

ROGUE is a unique model thanks to its wide field of vision combined with a high ballistic resistance level. Packed in a rigid carry case with clear, yellow and smoke lenses, you can switch between the lens options easily and accordingly to your needs.

ULTRA HIGH BALLISTIC POLYCARBONATE LENS

PANORAMIC FIELD OF VISION


ANTI-SCRATCH, ANTI-FOG COATINGS

ULTRA ENVELOPING

**HIGH
RESISTANCE**



NON SLIP NOSE



INTEGRATED LATERAL PROTECTION

COMFORT TEMPLES



28 G

Europe Bollé Safety
95 Rue Louis Guérin
69100 Villeurbanne - France
tel: 00 33 (0) 4 78 85 23 64
fax: 00 33 (0) 4 78 85 28 56
contact@bolle-safety.com

U.K. Bollé Safety
Unit C83 - Barwell Business Park
Leatherhead Road - Chessington
Surrey - KT9 2NY
tel. 00 44 (0)208 391 4700
fax 00 44 (0)208 391 4733
e-mail : sales@bolle-safety.co.uk

Ballistic Resistance STANAG 2920

Clear lens: v50 218 m/s (785 km/h)
Smoke lens: v50 212 m/s (763 km/h)
Yellow lens: v50 214 m/s (770 km/h)



Version and options



-KIT PC LENS VERSION:
CLEAR, YELLOW COMFORT AND SMOKE LENSES

SUPPLY WITH: KIT PC LENS / MICROFIBER POUCH /
INDIVIDUAL RIGID CARRY CASE



STANDARD MARKINGS :

Products Ref.	LENSES													FRAMES													
	Risks relating to radiations		Bollé Protection Logo	Optical Quality			Mechanical Risks				Electrical Risks	Thermal Risks	Coatings (Optional marking K: anti-scratch N: anti-fog)		CE logo	Bollé Protection logo	Standards	Chemical Risks			Electrical Risks	Mechanical Risks			Thermal Risks	CE logo	
	EN 170 - UV	EN 172 - Solaires (100% UV)		Permanent Wear	Intermittent Wear	Short Period	Low energy Impact 45 m/s	Medium energy Impact 120 m/s	High energy Impact 190 m/s	Extreme temperature impact	Electric arc short circuiting	Molten metals and hot solids	anti-scratch	anti-fog				Liquid drops	Large dust particles > 5 microns	Gas and fine dust particles < 5 microns	Electric arc short circuiting	Low energy impact 45 m/s	Medium energy impact 120 m/s	High energy impact 190 m/s	Extreme temperature impact		Molten metals and hot solids
ROGKIT Clear lens	2C-1.2			1			F	N/A	N/A	N/A	N/A				CE		EN 166					F			N/A	N/A	CE
ROGKIT Yellow lens	2C-1.2			1			F	N/A	N/A	N/A	N/A				CE	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
ROGKIT Smoke lens		5-3.1		1			F	N/A	N/A	N/A	N/A				CE	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A

N/A: Non applicable

TACTICAL
Ballistic Resistance
STANAG 2920



CHARACTERISTICS :

Lenses	PC - 2,2 mm - Curve 8
Frame	Nylon
Temples	Nylon
Strap	Non applicable
Foam	No
Spare Lenses	Intergeanble Clear, Yellow, Smoke lenses

PACKAGING AND EAN 13 CODE :

	ROGKIT
individual carry case	3660740005436
N/A	N/A
90 safety spectacles per outer pack	3660740205430

Notified laboratories for certification :

